


Amendments to Claims

1. (currently amended) A compound of Formula I, its *N*-oxide or an agronomic or nonagronomic suitable salt thereof



wherein:

Y and V are CR^{4a};

W is N, CH or CR⁶;

R¹ is H; or C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl or C₃-C₆ cycloalkyl, each optionally substituted with 1 to 5 substituents independently selected from the group consisting of halogen, CN, NO₂, hydroxy, C₁-C₄ alkoxy, C₁-C₄ alkylthio, C₁-C₄ alkylsulfinyl, C₁-C₄ alkylsulfonyl, C₂-C₄ alkoxycarbonyl, C₁-C₄ alkylamino, C₂-C₈ dialkylamino and C₃-C₆ cycloalkylamino; or

R¹ is C₂-C₆ alkylcarbonyl, C₂-C₆ alkoxycarbonyl, C₂-C₆ alkylaminocarbonyl or C₃-C₈ dialkylaminocarbonyl;

R² is H, C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl, C₁-C₄ alkoxy, C₁-C₄ alkylamino, C₂-C₈ dialkylamino, C₃-C₆ cycloalkylamino, C₂-C₆ alkoxycarbonyl or C₂-C₆ alkylcarbonyl;

R³ is H; G; C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl or C₃-C₆ cycloalkyl, each optionally substituted with 1 to 5 substituents independently selected from the group consisting of halogen, G, CN, NO₂, hydroxy, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylthio, C₁-C₄ alkylsulfinyl, C₁-C₄ alkylsulfonyl, C₂-C₆ alkoxycarbonyl, C₂-C₆ alkylcarbonyl, C₃-C₆ trialkylsilyl, phenyl, phenoxy and 5- or 6-membered heteroaromatic ring, each phenyl, phenoxy and 5- or 6-membered heteroaromatic ring optionally substituted with 1 to 3 substituents independently selected from R¹⁴; C₁-C₄ alkoxy; C₁-C₄ alkylamino; C₂-C₈ dialkylamino; C₃-C₆ cycloalkylamino; C₂-C₆ alkoxycarbonyl; C₂-C₆ alkylcarbonyl; or phenyl optionally substituted with 1 to 3 substituents independently selected from R¹⁴; or

- R^2 and R^3 are taken together with the nitrogen to which they are attached to form a ring containing 2 to 6 atoms of carbon and optionally one additional atom of nitrogen, sulfur and oxygen, said ring optionally substituted with 1 to 4 substituents independently selected from the group consisting of C_1 - C_2 alkyl, halogen, CN, NO_2 and C_1 - C_2 alkoxy;
- G is a 5- or 6-membered nonaromatic carbocyclic or heterocyclic ring, optionally including one or two ring members independently selected from the group consisting of $C(=O)$, $S(O)$ and $S(O)_2$ and optionally substituted with 1 to 4 substituents independently selected from the group consisting of C_1 - C_2 alkyl, halogen, CN, NO_2 and C_1 - C_2 alkoxy;
- R^{4a} and R^{4b} are each independently H, C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, C_3 - C_6 cycloalkyl, C_1 - C_6 haloalkyl, C_2 - C_6 haloalkenyl, C_2 - C_6 haloalkynyl, C_3 - C_6 halocycloalkyl, halogen, CN, ~~SCN~~, NO_2 , hydroxy, C_1 - C_4 alkoxy, C_1 - C_4 haloalkoxy, C_1 - C_4 alkylthio, C_1 - C_4 alkylsulfinyl, C_1 - C_4 alkylsulfonyl, C_1 - C_4 alkylsulfonyloxy, C_1 - C_4 haloalkylthio, C_1 - C_4 haloalkylsulfinyl, C_1 - C_4 haloalkylsulfonyl, C_1 - C_4 haloalkylsulfonyloxy, C_1 - C_4 alkylamino, C_2 - C_8 dialkylamino, C_3 - C_6 cycloalkylamino, C_2 - C_6 alkylcarbonyl, C_2 - C_6 alkoxycarbonyl, C_2 - C_6 alkylaminocarbonyl, C_3 - C_8 dialkylaminocarbonyl or C_3 - C_6 trialkylsilyl; or
- R^{4a} and R^{4b} are each independently phenyl, benzyl or phenoxy, each optionally substituted with 1 to 3 substituents independently selected from R^{14} ;
- R^5 is C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, C_3 - C_6 cycloalkyl, C_4 - C_7 alkylcycloalkyl, C_1 - C_6 haloalkyl, C_2 - C_6 haloalkenyl, C_2 - C_6 haloalkynyl, C_3 - C_6 halocycloalkyl or C_4 - C_7 haloalkylcycloalkyl, each substituted with 1 to 2 substituents independently selected from R^{11} ; or
- R^5 is OR^7 , $S(O)_pR^7$, NR^8R^9 , $OS(O)_2R^{10}$, $NR^9S(O)_2R^{10}$, $C(S)NH_2$, ~~$C(R^{13})=NOR^{13}$~~ , C_4 - C_7 halocycloalkylalkyl, C_1 - C_4 alkylaminothiocarbonyl or C_1 - C_4 dialkylaminothiocarbonyl;
- each R^6 is independently C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, C_3 - C_6 cycloalkyl, C_1 - C_6 haloalkyl, C_2 - C_6 haloalkenyl, C_2 - C_6 haloalkynyl, C_3 - C_6 halocycloalkyl, halogen, CN, CO_2H , $C(O)NH_2$, NO_2 , hydroxy, C_1 - C_4 alkoxy, C_1 - C_4 haloalkoxy, C_1 - C_4 alkylthio, C_1 - C_4 alkylsulfinyl, C_1 - C_4 alkylsulfonyl, C_1 - C_4 haloalkylthio, C_1 - C_4 haloalkylsulfinyl, C_1 - C_4 haloalkylsulfonyl, C_1 - C_4 alkylamino, C_2 - C_8 dialkylamino, C_3 - C_6 cycloalkylamino, C_2 - C_6 alkylcarbonyl, C_2 - C_6 alkoxycarbonyl, C_2 - C_6 alkylaminocarbonyl, C_3 - C_8 dialkylaminocarbonyl or C_3 - C_6 trialkylsilyl; or
- each R^6 is independently a phenyl, benzyl, benzoyl, phenoxy, 5- or 6-membered heteroaromatic ring or an aromatic 8-, 9- or 10-membered fused heterobicyclic

- ring system, each ring optionally substituted with 1 to 3 substituents independently selected from R¹⁴;
- each R⁷ is independently C₁-C₆ alkyl substituted with R¹²; or C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl, C₄-C₇ cycloalkylalkyl, C₄-C₇ alkylcycloalkyl, C₂-C₆ haloalkenyl, C₂-C₆ haloalkynyl, C₃-C₆ halocycloalkyl, C₄-C₇ haloalkylcycloalkyl, C₄-C₇ halocycloalkylalkyl or C₂-C₆ haloalkylcarbonyl, each optionally substituted with one R¹²;
- R⁸ is C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl, C₄-C₇ alkylcycloalkyl, C₁-C₆ haloalkyl, C₂-C₆ haloalkenyl, C₂-C₆ haloalkynyl, C₃-C₆ halocycloalkyl, C₄-C₇ haloalkylcycloalkyl or C₂-C₆ haloalkylcarbonyl, each substituted with one R¹²;
- R⁹ is H; or C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl, C₄-C₇ alkylcycloalkyl, C₁-C₆ haloalkyl, C₂-C₆ haloalkenyl, C₂-C₆ haloalkynyl, C₃-C₆ halocycloalkyl or C₄-C₇ haloalkylcycloalkyl, each optionally substituted with one R¹²;
- R¹⁰ is C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl, C₄-C₇ alkylcycloalkyl, C₁-C₆ haloalkyl, C₂-C₆ haloalkenyl, C₂-C₆ haloalkynyl, C₃-C₆ halocycloalkyl or C₄-C₇ haloalkylcycloalkyl, each optionally substituted with one R¹²;
- each R¹¹ is independently C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, C₁-C₆ alkylthio, C₁-C₆ haloalkylthio, C₁-C₆ alkylsulfinyl, C₁-C₆ haloalkylsulfinyl, C₁-C₆ alkylsulfonyl, C₁-C₆ haloalkylsulfonyl, CN or C₂-C₄ alkoxycarbonyl;
- each R¹² is independently C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, C₁-C₆ alkylthio, C₁-C₆ haloalkylthio, C₁-C₆ alkylsulfinyl, C₁-C₆ haloalkylsulfinyl, C₁-C₆ alkylsulfonyl, C₁-C₆ haloalkylsulfonyl, CN, NO₂, C₂-C₄ alkoxycarbonyl, C₁-C₆ alkylamino or C₂-C₆ dialkylamino; or
- each R¹² is independently a phenyl or a 5- or 6-membered heteroaromatic ring, each ring optionally substituted with 1 to 3 substituents independently selected from R¹⁴;
- ~~each R¹³ is independently H, C₁-C₄ alkyl or C₁-C₄ haloalkyl;~~
- each R¹⁴ is independently C₁-C₄ alkyl, C₂-C₄ alkenyl, C₂-C₄ alkynyl, C₃-C₆ cycloalkyl, C₁-C₄ haloalkyl, C₂-C₄ haloalkenyl, C₂-C₄ haloalkynyl, C₃-C₆ halocycloalkyl, halogen, CN, NO₂, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylthio, C₁-C₄ alkylsulfinyl, C₁-C₄ alkylsulfonyl, C₁-C₄ alkylamino, C₂-C₈ dialkylamino, C₃-C₆ cycloalkylamino, C₃-C₆ (alkyl)cycloalkylamino, C₂-C₄ alkylcarbonyl, C₂-C₆ alkoxycarbonyl, C₂-C₆ alkylaminocarbonyl, C₃-C₈ dialkylaminocarbonyl or C₃-C₆ trialkylsilyl;
- n is 0, 1, 2, 3 or 4; and

p is 0, 1 or 2.

2. (original) The compound of Claim 1 wherein

R¹ is H, C₁-C₄ alkyl, C₂-C₄ alkenyl, C₂-C₄ alkynyl, C₃-C₆ cycloalkyl, C₂-C₆ alkylcarbonyl or C₂-C₆ alkoxy carbonyl;

R² is H, C₁-C₄ alkyl, C₂-C₄ alkenyl, C₂-C₄ alkynyl, C₃-C₆ cycloalkyl, C₂-C₆ alkylcarbonyl or C₂-C₆ alkoxy carbonyl;

R³ is C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl or C₃-C₆ cycloalkyl each optionally substituted with 1 to 5 substituents independently selected from the group consisting of halogen, CN, C₁-C₂ alkoxy, C₁-C₂ alkylthio, C₁-C₂ alkylsulfinyl and C₁-C₂ alkylsulfonyl;

R^{4a} and R^{4b} are each independently H, C₁-C₄ alkyl, C₁-C₄ haloalkyl, halogen, CN, NO₂, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylthio, C₁-C₄ alkylsulfinyl, C₁-C₄ alkylsulfonyl, C₁-C₄ haloalkylthio, C₁-C₄ haloalkylsulfinyl or C₁-C₄ haloalkylsulfonyl;

each R⁶ is independently C₁-C₄ alkyl, C₁-C₄ haloalkyl, halogen, CN, NO₂, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylthio, C₁-C₄ alkylsulfinyl, C₁-C₄ alkylsulfonyl, C₁-C₄ haloalkylthio, C₁-C₄ haloalkylsulfinyl, C₁-C₄ haloalkylsulfonyl or C₂-C₄ alkoxy carbonyl; and

n is 0, 1 or 2.

3. (previously presented) The compound of Claim 2 wherein:

Y and V are CH;

W is N, CH, CF, CCl, CBr or Cl;

R¹ is H;

R² is H or CH₃;

R³ is C₁-C₄ alkyl optionally substituted with 1 to 5 substituents independently selected from the group consisting of halogen, CN, OCH₃ and S(O)_pCH₃;

R^{4a} and R^{4b} are each independently H, CH₃, CF₃, OCF₃, OCHF₂, S(O)_pCF₃, S(O)_pCHF₂, CN or halogen;

each R⁶ is independently halogen, CN, CH₃, CF₃, OCHF₂, S(O)_pCF₃, S(O)_pCHF₂, OCH₂CF₃, OCF₂CHF₂, S(O)_pCH₂CF₃ or S(O)_pCF₂CHF₂; and

n is 0 or 1.

4. (previously presented) The compound of Claim 3 wherein

W is N; and

R^{4a} and R^{4b} are each independently H, CH₃, CF₃, CN or halogen.

5. (original) The compound of Claim 4 wherein

R³ is C₁-C₄ alkyl;

R^{4a} is H, CH₃, Cl, Br or I;

R^{4b} is H, F, Cl, Br, I, CN or CF₃;

R⁵ is OS(O)₂CH₃, OS(O)₂CF₃, CF₂O(C₁-C₄ alkyl), CF₂S(C₁-C₄ alkyl) or C₃-C₄ haloalkenyloxy; and

R⁶ is CH₃, CF₃, OCH₂CF₃, OCHF₂ or halogen at position 2.

6. (previously presented) The compound of Claim 4 wherein

R³ is C₁-C₄ alkyl;

R^{4a} is H, CH₃, Cl, Br or I;

R^{4b} is H, F, Cl, Br, I, CN or CF₃; and

R⁵ is C₂-C₆ alkenyloxy, C₂-C₆ alkynyloxy, C₁-C₆ alkoxy substituted with CN or C₁-C₂ alkoxy.

7. (cancelled).

8. (original) A composition of controlling an invertebrate pest comprising biologically effective amount of a compound of Claim 1 and at least one additional component selected from the group consisting of a surfactant, a solid diluent, and a liquid diluent, said composition optionally further comprising an effective amount of at least one additional biologically active compound or agent.

9. (previously presented) The composition of Claim 8 wherein the additional biologically active compound or agent is present and is selected from the group consisting of cypermethrin, cyhalothrin, cyfluthrin, beta-cyfluthrin, esfenvalerate, fenvalerate, tralomethrin, fenothicarb, methomyl, oxamyl, thiodicarb, clothianidin, imidacloprid, thiacloprid, indoxacarb, spinosad, abamectin, avermectin, emamectin, γ -aminobutyric acid, endosulfan, ethiprole, fipronil, flufenoxuron, triflumuron, diofenolan, pyriproxifen, pymetrozine, amitraz, *Bacillus thuringiensis*, *Bacillus thuringiensis* delta endotoxin, a member of the family Baculoviridae, and entomophagous fungi.

10. (original) A method for controlling an invertebrate pest comprising contacting the invertebrate pest or its environment with a biologically effective amount of a compound of Claim 1 or with a biologically effective amount of a composition of Claim 8.

11. (previously presented) The method of Claim 10 wherein the invertebrate pest is a cockroach, an ant or a termite which contacts the compound by consuming a bait composition comprising the compound or the composition.

12. (previously presented) The method of Claim 10 wherein the invertebrate pest is a mosquito, a black fly, a stable fly, a deer fly, a horse fly, a wasp, a yellow jacket, a hornet, a tick, a spider, an ant, or a gnat which is contacted by a spray composition comprising the compound or the composition dispensed from a spray container.

13. (canceled).

14. (canceled).

15. (canceled).